

Date first production; 2-22-77
5-21-79 - Subsequent report of: Convert to Water
Injection

FILE NOTATIONS

Entered in NID File

✓

Checked by Chief

Entered On S R Sheet

Copy NID to Field Office

Location Map Pinned

Approval Letter

Card Indexed

✓

Disapproval Letter

I W R for State or Fee Land

COMPLETION DATA:

Date Well Completed

2-22-77

Location Inspected

OW

WW

TA

Bond released

GW

OS

PA

State of Fee Land

LOGS FILED

Driller's Log

✓

Electric Logs (No.)

✓

E

I

E-I

GR

GR-N

Micro

Lat

Mi-L

Sonic

Others

December 6, 1976

ANETH UNIT WELL NO. F416
SE $\frac{1}{4}$ SW $\frac{1}{4}$ SEC 16 T40S-R24E
SAN JUAN COUNTY, UTAH
6.34


Mr. P. T. McGrath (3)
District Engineer
U. S. Geological Survey
P. O. Box 959
Farmington, New Mexico 87401

Dear Mr. McGrath:

As requested by your office, the following information is provided for the drilling of Aneth Unit well No. F416, San Juan County, Utah:

1. SURFACE CASING: 1500' of 8-5/8" OD 24# K-55 ST&C New Casing.
2. CASINGHEADS: 10-3/4" x 10" Series 600, 2000# pressure rating.
3. PRODUCTION CASING: 5614' of 5-1/2" OD 14# & 15.5# K-55 ST&C New Casing.
4. BLOWOUT PREVENTER: 10" Series 600 with blind and pipe rams. See attached drawing.
5. AUXILIARY EQUIPMENT:
(a) Kelly cock will be used at all times and checked daily.
(b) Safety sub with full opening valve for drill pipe on floor.
6. ANTICIPATED BOTTOM HOLE PRESSURE: 2500 PSI.
7. DRILLING FLUID: Water and salt mud.

Very truly yours,



G. L. Eaton
District Superintendent

FME:RB
Attach.
cc: OGCC(2)

December 6, 1976

**SURFACE USE DEVELOPMENT PLAN
ANETH UNIT WELL NO. F416
SE $\frac{1}{4}$ SW $\frac{1}{4}$ SEC 16 T40S-R24E
SAN JUAN COUNTY, UTAH**
6.34

Mr. P. T. McGrath (3)
District Engineer
U. S. Geological Survey
P. O. Box 959
Farmington, New Mexico 87401

Dear Mr. McGrath:

As requested by your office, the Surface Use Development Plan for Aneth Unit well No. F416, San Juan County, Utah is as follows:

1. Existing roads and exit to the location are shown on the attached plats.
2. A new access road approximately 200' long will be required. The proposed road will run north from an existing road to the location.
3. Offset wells to the proposed well are shown on the attached plat.
4. The flowline for subject well will run approximately 4260' south to an existing battery in Section 21.
5. Water for drilling operations will be piped from Texaco's water injection well No. H417.
6. No additional construction material will be required.
7. All waste material will be contained by earthen and steel pits. Earthen pits will be subsequently back-filled and buried. A portable chemical toilet will be furnished for drilling personnel.
8. No separate drill campsites are proposed.

December 6, 1976

9. The drilling site location will be graded and will be approximately 250' x 250' with natural drainage to the east. Proper grading will be used to control erosion and the drilling pad surface will be compacted soil. A 10' cut in the center of the location and a 5' fill on the east side will be required.
10. All surfaces not used in normal well servicing and maintenance will be cleaned and graded.
11. The surface of the well location is sandy, barren ground sparsely covered with native grass and small brush. The site is on a small hill sloping to the east.
12. Texaco's representative:
G. L. Eaton
District Superintendent
Texaco Inc.
P. O. Box 2100
Denver, Colorado 80201
Phone: (303) 573-7571
13. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Texaco Inc. and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Dec 6, 1976
Date

G. L. Eaton
G. L. Eaton
District Superintendent

FME:RB
cc: OGCC(2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐OTHER ☐SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

TEXACO Inc.

Attention: G. L. Eaton

3. ADDRESS OF OPERATOR

P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16

At proposed prod. zone

1000' FSL & 1980' FWL, Sec. 16

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

1000'

16. NO. OF ACRES IN LEASE

--

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

1200'

19. PROPOSED DEPTH

5614'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4592' GR

22. APPROX. DATE WORK WILL START*

January 20, 1977

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8-5/8"	24#	1500'	Circulate to surface.
7-7/8"	5-1/2"	14# & 15.5#	5614'	Cement 600' above pay zone.

DV collar to be run below DeChelly and cement to bottom of surface casing.

Propose to drill this infill well in order to gain optimum primary and secondary oil recovery from the Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DST's are planned. Logs will be run from surface casing to TD. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached exhibit, and will be tested at regular intervals. Necessary steps will be taken to protect the environment. Any gas produced during the conduct of the above described work will be flared.

ESTIMATED FORMATION TOPS

Navajo	652'	Hermosa	4406'
Chinle	1455'	Ismay	5222'
DeChelly	2447'	Desert Creek	5402'

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: 12-8-76

BY: C.B. Smith

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new production zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED G. L. Eaton TITLE District Superintendent DATE December 6, 1976

(This space for Federal or State office use)

PERMIT NO.

43-037-30333

APPROVAL DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

USGS (3)
FarmingtonOGEC (2)
SLC

GLE

ARM (2)

Bureau of Indian Affairs

Gulf (2)

Shell

Superior

The Navajo Tribe

Tenneco

*See Instructions On Reverse Side


Company Texaco, Inc.

Well Name & No. ANETH UNIT WELL NO. F416

Location 1000 feet from the South line and 1980 feet from the West line.

Sec. 16, T. 40 S., R. 24 E., S. L. M., County San Juan, Utah


Ground Elevation 4592



Scale, 1 inch = 1,000 feet

Surveyed November 19, 1976

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.




E. V. Echohawk
Ernest V. Echohawk
Registered Land Surveyor
Utah Registration No. 2611

PUMPER ASSIGNMENT


PRODUCING WELL .
INJECTION WELL ~
BATTERY ☐
HEADER ○

PUMPER ASSIGNMENT BOUNDRY-




ROAD AND LOCATION PLAT
ANETH UNIT WELL NO. F416
SAN JUAN COUNTY, UTAH

A2.047



Minimum equipment requirements are:

1. Blowout preventers must be capable of being operated both mechanically and hydraulically. Controls must be located so that the blowout preventer can be operated outside the drilling rig substructure. All steel tubing and connections must be used between the hydraulic controls and the blowout preventer.
2. Pressure rating of the blowout preventer and associated connections must be proportional to depth and pressure expectations. Use Figure 1 as a guide in unknown areas.
3. Distance "A" must be sufficient to accommodate a Hydril preventer if required.
4. Chokes, valves, manifold piping and kill line must be flanged and designed equal to or above the pressure rating of the blowout preventer.
5. Kelly cock must be used at all times and should be checked daily.



NOTE: BLOWOUT PREVENTER MUST HAVE DOUBLE RAMS, ONE BLIND & ONE PIPE RAM OR THE EQUIPMENT MUST CONSIST OF TWO BLOWOUT PREVENTERS, ONE EQUIPPED WITH BLIND RAMS & THE OTHER WITH PIPE RAMS. ALWAYS PLACE THE BLIND RAMS IN THE TOP PREVENTER.


ANETH UNIT WELL NO. F416

SAN JUAN COUNTY, UTAH

APPROVED
[Signature]
[Signature]

TEXACO INC	
DENVER, COLORADO	
BLOWOUT PREVENTER ASSEMBLY STANDARD NO. 2	
DRAWN BY <u>MRD.</u>	CHKD BY <u>P.B.</u>
DATE <u>11-2-58</u>	FILE <u>100000</u>
REVISED <u> </u>	SERIAL <u>1-10000</u>

NORTH



- A. Drilling pad will be compacted soil.
- B. Surface is slightly sloping, sandy, barren ground sparsely covered with native grass and small brush.

LOCATION AND RIG LAYOUT PLAT

ANETH UNIT WELL NO. F416

SAN JUAN COUNTY, UTAH

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

** FILE NOTATIONS **

Date: Dec. 8 -
Operator: Tefaro Inc
Well No. Arco Unit F416
Location: Sec. 16 T. 40S R. 24E, County: San Juan

File Prepared

☒

Entered on N.I.D.

☒

Card Indexed

☒

Completion Sheet

☒

Checked By:

Administrative Assistant: [Signature]

Remarks:

Petroleum Engineer: [Signature]

Remarks:

Director: [Signature]

Remarks:

Include Within Approval Letter:

Bond Required ☐

Survey Plat Required ☐

Order No. 152-1

☒

Surface Casing Change ☐
to _____

Rule C-3(c), Topographical exception/company owns or controls acreage
within a 660' radius of proposed site ☐

O.K. Rule C-3 ☐

O.K. In Arco Unit ☒

Other:

[Signature]
☐ Letter Written

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Utah ML-3156	
2. NAME OF OPERATOR TEXACO Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME P	
3. ADDRESS OF OPERATOR P. O. Box 2100, Denver, Colorado 80201		7. UNIT AGREEMENT NAME Aneth Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface SE$\frac{1}{4}$ SW$\frac{1}{4}$ Sec. 16 1000' FSL & 1980' FWL, Sec. 16		8. FARM OR LEASE NAME Unit	
14. PERMIT NO. 43-037-30333		9. WELL NO. F416	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4592' GR		10. FIELD AND POOL, OR WILDCAT Aneth Field	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 16 T40S-R24E	
		12. COUNTY OR PARISH San Juan	
		13. STATE Utah	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Run surface casing☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Well spudded 1-16-77.

Ran 2 joints (86') of 13-3/8" OD 48# H-40 ST&C new casing, set at 85' KB and cemented with 125 sacks Class "B" 2% CaCl₂. Plug down at 10:15 PM, 1-16-77. Cement circulated to surface.Ran 36 joints (1456') of 8-5/8" OD 24# K-55 ST&C new casing, set at 1453' KB, and cemented with 600 sacks Lite and 100 sacks regular with 2% CaCl₂. Plug down at 11:00 AM, 1-19-77 with 1400 psi. Cement did not circulate. Tied 13-3/8" OD casing to 8-5/8" OD casing and cemented back side with 100 sacks regular neat cement.

Tested blowout preventer equipment and casing at 800 psi for 15 minutes. No loss in pressure.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE District Superintendent DATE Jan 21, 1977

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

USGS (3)
FarmingtonOGCC (2)
SLC

GLE

ARM

The Navajo Tribe

Gulf (2)
SuperiorShell
Tenneco

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

State of Utah ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

F416

10. FIELD AND POOL, OR WILDCAT

Aneth Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 16 T40S-R24E

12. COUNTY OR PARISH
San Juan13. STATE
Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TEXACO Inc. Attention: G. L. Eaton

3. ADDRESS OF OPERATOR

P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16

1000' FSL & 1980' FWL, Sec. 16

14. PERMIT NO.

43-037-30333

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4592' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Run Production Casing☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Ran 143 joints (5621') of 5-1/2" OD 14# & 15.5# K-55 STC & LTC new casing. Set at 5615' KB with multi-stage cementing tool at 2622'. Cemented first stage with 300 sacks Class "B" with 6-1/2# Gilsonite, 7# salt, 1/2# mud-kill, and 3/4 of 1% CFR-2. Plug down at 4:45 PM, 2-9-77 with 1500 psi. Cemented second stage with 250 sacks Class "B" Lite and 50 sacks regular. Plug down at 5:45 PM, 2-9-77 with 2500 psi. Rig released at 7:00 PM, 2-9-77.

18. I hereby certify that the foregoing is true and correct

SIGNED

G. L. Eaton

TITLE

District Superintendent

DATE

Feb. 11, 1977

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

USGS (3)
FarmingtonOGCC (2)
SLC

GLE

ARM

The Navajo Tribe

Gulf (2)
SuperiorShell
Tenneco

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

State of Utah ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

F416

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 16 T40S-R24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

1a. TYPE OF WELL:

OIL
WELL ☒GAS
WELL ☐DRY ☐Other ☐

b. TYPE OF COMPLETION:

NEW
WELL ☒WORK
OVER ☐DEEP-
EN ☐PLUG
BACK ☐DIFF.
RESVR. ☐Other ☐

2. NAME OF OPERATOR

TEXACO Inc.

Attention: G. L. Eaton

3. ADDRESS OF OPERATOR

P. O. Box 2100, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16

At top prod. interval reported below

1000' FSL & 1980' FWL, Sec. 16

At total depth

14. PERMIT NO.

43-037-30333

DATE ISSUED

12-8-76

15. DATE SPUDDED

1-16-77

16. DATE T.D. REACHED

2-8-77

17. DATE COMPL. (Ready to prod.)

2-22-77

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4592' GR, 4587' GR GR

19. ELEV. CASINGHEAD

4599' KB

20. TOTAL DEPTH, MD & TVD

5617'

21. PLUG, BACK T.D., MD & TVD

5556'

22. IF MULTIPLE COMPL., HOW MANY*

--

23. INTERVALS DRILLED BY

Surface to TD

ROTARY TOOLS

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Desert Creek Top: 5403'
Bottom: TD

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

GR-FDC-CNL, MSFL-DLL, Sonic, EMW

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	85'	17-1/4"	125 sacks	
8-5/8"	24#	1453'	11"	800 sacks	
5-1/2"	14 & 15.5#	5615'	7-7/8"	300 sacks	
	DV Tool	2622'		300 sacks	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
NONE					2-7/8"	5325'	

31. PERFORATION RECORD (Interval, size and number)

Desert Creek 5407-11, 5420-25,
5337-42 & 5448-60' with 2 jet
shots per foot.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5407-5411',	250 gal 15% HCl & 5600
5420-5425,	gal 15% HCl PAD acid
5437-5442' &	emulsion in 4 equal stages
5448-5460'	using 2 100 gal TDA plugs.

33.*

PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
2-22-77		Pumping		2"		Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
2-24-77	24	-	→	428	219	14	511
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
-	-	→	-	-	-	41.2	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

J. J. Presley

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE District Superintendent

DATE Feb. 25, 1977

*(See Instructions and Spaces for Additional Data on Reverse Side)

USGS (3) OGCC (2) GLE ARM The Navajo Tribe Gulf (2) Shell Sun (2)
Farmington SLC Marathon Superior Tenneco Exxon Conoco

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
No cores were taken.				Chinle	1475'	
				DeChelly	2460'	
No DST's were taken.				Hermosa	4406'	
				Ismay	5244'	
				Desert Creek	5403'	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS OF WELLS

(Do not use this form for proposals to drill or to deepen or to change a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well2. NAME OF OPERATOR
Texaco Inc.

3. ADDRESS OF OPERATOR

PO Box EE Cortez, Colorado

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1000' FSL & 1980' FWL

AT TOP PROD. INTERVAL: SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16

AT TOTAL DEPTH: T40S R24E

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON* ☐(other) convert to water injection

SUBSEQUENT REPORT OF:

☐☐☒☐☐☐☐☐

5. LEASE

State of Utah ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

F416

10. FIELD OR WILDCAT NAME

Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 16 T40S R24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4599' KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

4-2-79: MIRUSU. Pulled rods, pump and tubing. Run bit and scraper to PBTD. Perforate 5482-86, 5490-5506 & 5508-21 w/ 2 JSPF. Ran 2 3/8" plastic-coated tubing and packer. Chemically treated backside, and set packer at 5334' KB. Placed well on injection 4-7-79.

Test: 500 BWIPD. 0# PSI

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Alvin R. Many

TITLE Field Foreman

DATE 5-21-79

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

USGS(4) UOGCC(3) Superior Oil CO. The Navajo Tribe GLE ARM

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other Wtr. injection2. NAME OF OPERATOR
Texaco Inc.3. ADDRESS OF OPERATOR
P.O. Box EE, Cortez, CO 813214. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1000'FSL & 1980'FWL, Sec. 16
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☒
☐
☐
☐
☐
☐5. LEASE
State of Utah ML-3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.
F41610. FIELD OR WILDCAT NAME
Aneth11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA
☒ Sec. 16, T40S, R24E12. COUNTY OR PARISH San Juan 13. STATE Utah

14. API NO.

15. ELEVATIONS: (SHOW DF, KDB, AND WD)
4599 KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

3-24-80: MIRUSU. Pulled 5 1/2" packer and 2 7/8" plastic-coated tubing. Reperforated 5407-11, 5420-25, 5437-42, 5448-60, 5482-86, 5490-5506, and 5508-21 with 2 JSPF. Ran tubing with RBP and packer. Set RBP at 5530' KB and packer at 5470' KB. Spotted 250 gal 28% HCl across perfs. Acidized perfs with 800 gal 28% DAD, communicated. Moved packer to 5430' KB. Acidized perfs with 1550 gal 28% DAD in 2 stages.

Bef: 1500 BWIPD Avg. rate = 4.5 BPM. Avg. pressure = 2000 psi. Moved RBP to 5430' KB and packer to 5370' KB. Spotted 500 gal 28% HCl across perfs. Acidized perfs with 500 gal 28% DAD.

Aft: 1000 BWIPD Avg. rate = 1 BPM. Avg. pressure = 2500 psi. Pulled tbgs., 1350 psi pkr., RBP. Placed well on injection.

Subsurface Safety Valve: Manu. and Type _____

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Marx TITLE Field Foreman DATE 4-17-80

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

USGS(4) UOGCC(3) Navajo Tribe-Superior Oil-GLE-ARM

RECEIVED
APR 21 1980
DIVISION OF
OIL, GAS & MINING

FORM NO. DOGM-UIC-1

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE 1-5)

IN THE MATTER OF THE APPLICATION OF

TEXACO INC
ADDRESS P.O. BOX 66
CORTEZ COLORADO ZIP 81321
INDIVIDUAL PARTNERSHIP CORPORATION ☒
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE ANETH UNIT F416 WELL
SEC. 16 TWP. 40S RANGE 24E
SAN JUAN COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL ☒
DISPOSAL WELL ☐

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>ANETH UNIT</u>	Well No. <u>F 416</u>	Field <u>ANETH</u>	County <u>SAN JUAN</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE 1/4 SW 1/4</u> Sec. <u>16</u> Twp. <u>40S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1420</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What <u>OIL AND GAS</u>
Location of <u>ANETH UNIT PRODUCING WELLS</u> Injection Source(s) <u>AND SAN JUAN RIVER</u>		Geologic Name(s) and Depth of Source(s) <u>DESERT CREEK AND ISMAH W 5600</u>	
Geologic Name of Injection Zone <u>PARADOX: DESERT CREEK</u>		Depth of Injection Interval <u>5403</u> to <u>TD</u>	
a. Top of the Perforated Interval: <u>5403</u>	b. Base of Fresh Water: <u>1420</u>	c. Intervening Thickness (a minus b) <u>3983</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <u>YES</u> NO			
Lithology of Intervening Zones <u>SAND STONE, LIMESTONE, ANHYDRITE, INTERMITTENT LAYERS OF SHALE</u>			
Injection Rates and Pressures Maximum <u>2000</u> B/D <u>2500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>NAVAJO TRIBE</u> <u>Box 146</u> <u>WINDOW ROCK ARIZONA</u>			

State of Colorado
County of Montezuma

Alvin R. Maer Field Supt
Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Maer
known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly
authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Suscribed and sworn to before me this 7 day of October, 19 83

SEAL

My commission expires 7-17-85

Melinda M. Doring
925 So. Grand Ave. - Vero, Co.
Notary Public in and for _____

(OVER)


INSTRUCTIONS

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including: Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	13 3/8	85	185	SURFACE	VISUAL
Intermediate	8 5/8	1453	800	NA	NA
Production	5 1/2	5615	600	NA	NA
Tubing	2 3/8	5334	Name - Type - Depth of Tubing Packer		
Total Depth 5617	Geologic Name - Inj. Zone DESERT CREEK		Depth - Top of Inj. Interval 5403		Depth - Base of Inj. Interval TD

SKETCH - SUB-SURFACE FACILITY



(To be filed within 30 days after drilling is completed)

DEPARTMENT OF NATURAL RESOURCES AND ENERGY


DIVISION OF OIL, GAS, AND MINING

Room 4241 State Office Building

Salt Lake City, Utah 84114

ML-3156
COUNTY
LEASE NO.

API NO

640 Acres
NS
Locate Well Correctly
and Outline LeaseCOUNTY SAN JUAN SEC. 16 TWP. 40S RGE. 24ECOMPANY OPERATING TEXACO INCOFFICE ADDRESS P.O. Box EETOWN CORTEZ STATE ZIP CO 81321FARM NAME AWETA UNIT WELL NO. F4116DRILLING STARTED 1-16 1977 DRILLING FINISHED 2-8 1977DATE OF FIRST PRODUCTION _____ COMPLETED 2-22-77WELL LOCATED N 1/2 SE 1/4 SW 1/41000 FT. FROM SL OF 1/4 SEC. & 1980 FT. FROM WL OF 1/4 SEC.ELEVATION DERRICK FLOOR 4599 - GROUND 4587

TYPE COMPLETION

Single Zone DESERT CREEK Order No. _____

Multiple Zone _____ Order No. _____

Comingled _____ Order No. _____

LOCATION EXCEPTION _____ Order No. _____ Penalty _____

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>DESERT CREEK</u>	<u>5403</u>	<u>TD</u>			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sax	Fillup	Top
<u>13 3/8</u>	<u>48</u>	<u>NA</u>	<u>85</u>	<u>NA</u>	<u>185</u>	<u>NA</u>	
<u>8 5/8</u>	<u>24</u>	<u>NA</u>	<u>1453</u>	<u>NA</u>	<u>800</u>	<u>NA</u>	<u>NA</u>
<u>5 1/2</u>	<u>14+15.5</u>	<u>NA</u>	<u>5615</u>	<u>NA</u>	<u>300</u>	<u>NA</u>	<u>NA</u>
<u>DVTOOL</u>			<u>2622</u>		<u>300</u>	<u>NA</u>	<u>NA</u>

TOTAL DEPTH 5617PACKERS SET
DEPTH5334'

COMPLETION & TEST DATA BY PRODUCING FORMATION

1

2

3

FORMATION	<u>DESERT CREEK</u>	<u>DESERT CREEK</u>	
SPACING & SPACING ORDER NO.	<u>40</u>	<u>40</u>	
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>OIL</u>	<u>IWS</u>	
PERFORATED	<u>5407-5411</u>		
INTERVALS	<u>5420 - 5425</u>	<u>5482-86</u>	
	<u>5437 - 5442</u>	<u>5490-5506</u>	
	<u>5448-5460</u>	<u>5508 - 21</u>	
ACIDIZED?	<u>5850 gallons</u>		
FRACTURE TREATED?	<u>No</u>		

INITIAL TEST DATA

Date	<u>2-24-77</u>		
Oil. bbl./day	<u>428</u>		
Oil Gravity	<u>NA</u>		
Gas. Cu. Ft./day	<u>219 m CF</u>	<u>CF</u>	<u>CF</u>
Gas-Oil Ratio Cu. Ft./Bbl.	<u>511</u>		
Water-Bbl./day	<u>14</u>		
Pumping or Flowing	<u>PUMPING</u>		
CHOKE SIZE	<u>NA</u>		
FLOW TUBING PRESSURE	<u>NA</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse.
(use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 303 565-5401 Philip R. Mary Field Supt.
Name and title of representative of companySubscribed and sworn before me this 7 day of October, 19 80

D
WEST | EAST

TYOS-24E
SAN JUAN COUNTY UTAH
TEXACO INC OPERATOR
STATE OF UTAH LANDOWNER

10
● PRODUCER
● INJECTOR




D

WEST EAST

T405-R24E
SAN JUAN COUNTY UTAH
TEXACO INC - OPERATOR
STATE OF UTAH - LANDOWNER

● PRODUCER 10
● INJECTOR



TEXACO

INSTRUCTIONS CANCELS LETTER(S) OF

SIGNED BY

☐ PERMANENT☐ ROUTINE☐ TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from
Navajo Aquifer

Aneth Unit H415

Location - SE 1/4 - SE 1/4 Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppmCO₃⁼ - 130 ppmCa⁺ - 7 ppmHCO₃⁻ - 156 ppmMg⁺⁺ - 28 ppmSO₄⁼ - 599 ppmNa⁺ - 76 ppmCl⁻ - 757 ppm

Aneth Unit G422

Location - SW 1/4 - SE 1/4 Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppmCO₃⁼ - 925 ppmCa⁺ - 6 ppmHCO₃⁻ - 912 ppmMg⁺⁺ - 8 ppmSO₄⁼ - 265 ppmNa⁺ - 915 ppmCl⁻ - 271 ppm* Note: these numbers were obtained from Texaco Files
in the Denver Division offices

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, Colo

80201

By


ADDRESSEE: Use reverse side to reply. Return original. Retain duplicate.

NL Treating Chemicals/NL Industries, Inc.

P.O. Box 1675, Houston, Texas 77001

WATER ANALYSIS REPORT

COMPANY TEXACO, INCORPORATED				SHEET NUMBER 0	
FIELD ANETH				DATE 5 APRIL 1982	
COUNTY OR PARISH SAN JUAN				STATE UTAH	
LEASE OR UNIT ANETH		WELL(S) NAME OR NO. INJECTION WATER		WATER SOURCE (FORMATION)	
DEPTH, FT.	BHT, F	SAMPLE SOURCE PLANT	TEMP, F	WATER, BBL/DAY	OIL, BBL/DAY
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPO			



DISSOLVED SOLIDS			DISSOLVED GASES	
CATIONS	me/l*	mg/l*	Hydrogen Sulfide, H ₂ S	337.5 mg/l*
Total Hardness	392.0		Carbon Dioxide, CO ₂	185.0 mg/l*
Calcium, Ca ⁺⁺	268.0	5360.0	Oxygen, O ₂	1.0 mg/l*
Magnesium, Mg ⁺⁺	124.0	1519.0		
Iron (Total) Fe ⁺⁺⁺	0.5	10.0		
Barium, Ba ⁺⁺	—	1.0		
Sodium, Na ⁺ (calc.)	1035.1	23807.3		
ANIONS				
Chloride, Cl ⁻	1380.3	49000.0		
Sulfate, SO ₄ ⁼	24.5	1175.0		
Carbonate, CO ₃ ⁼	0.0	0.0		
Bicarbonate, HCO ₃ ⁼	4.0	244.0		
Hydroxyl, OH ⁻	0.0	0.0		
Sulfide, S ⁼	18.8	300.0		

SUSPENDED SOLIDS (QUALITATIVE)			
Iron Sulfide <input type="checkbox"/>	Iron Oxide <input type="checkbox"/>	Calcium Carbonate <input type="checkbox"/>	Acid Insoluble <input type="checkbox"/>

REMARKS AND RECOMMENDATIONS:
WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

* NOTE: me/l and mg/l are commonly used interchangeably for epm and ppm respectively. Where epm and ppm are used, corrections should be made for specific gravity.

BTC ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS FARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-48
ANALYZED	DATE	DISTRIBUTION		

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLI
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

ML - 3156

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F416

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec 16, T40S, R24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back a well or to create a reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ Water Injection

DEC 08 1986

2. NAME OF OPERATOR

Texaco Inc.

3. ADDRESS OF OPERATOR

P. O. Box EE Cortez, Co. 81321

DIVISION OF
OIL GAS & MINING

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

1000' FSL & 1980' FWL

14. PERMIT NO.

43-037-30383

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4599' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☒

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-3-86 MIRUSU. TOOH w/tbg & pkr. TIH w/bit & scraper. Clean out to 5556' KB. TOOH w/bit & scraper. TIH w/tbg & pkr. Spot 100 gals of 15% Hcl w/additives across perfs. Let soak 30 min. Pump 1400 gals 15% Hcl w/additives in two 700 gal stages, w/750 gals TDA plug between stages, @ 2.7 BPM @ 1100 psi. avg. Flush w/30 bbls prod. water @ 1 3/4 BPM @ 1900 psi. ISIP 1900 psi. 30 min. Recovered all load. Inhibit annulus, set pkr @ 5354' KB., test to 1000 psi. held good, put well on injection. RDMOL.

Before 210 BWIPD/2280 psi.

After 675 BWIPD/2250 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED M. J. [Signature] TITLE Area Supt.

DATE 12/1/86

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

BLM (4) UOGCC (3) Navajo Tribe Mobil Oil JNH LAA AAK

*See Instructions on Reverse Side

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Idaho Well No. aneth Unit F416
 County: San Juan T 40S R 24E Sec. 16 API# 43-037-30333
 New Well ☐ Conversion ☐ Disposal Well ☐ Enhanced Recovery Well ☒

	YES	NO
UIC Forms Completed	<u>✓</u>	<u> </u>
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	<u> </u>
Schematic Diagram	<u>✓</u>	<u> </u>
Fracture Information	<u>✓</u>	<u> </u>
Pressure and Rate Control	<u>✓</u>	<u> </u>
Adequate Geologic Information	<u>✓</u>	<u> </u>
Fluid Source	<u>Desert Creek - Grassy</u>	

Analysis of Injection Fluid	Yes <u>✓</u>	No <u> </u>	TDS <u>81385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No <u> </u>	TDS <u>81385</u>

Known USDW in area	<u>None</u>	Depth <u>1420</u>
Number of wells in area of review	<u>13</u>	Prod. <u>6</u> P&A <u>1</u>
	Water <u>0</u>	Inj. <u>7</u>

Aquifer Exemption	Yes <u> </u>	NA <u>✓</u>
Mechanical Integrity Test	Yes <u> </u>	No <u>✓</u>
	Date <u> </u>	Type <u> </u>

Comments:

Reviewed by: 

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

29

OPERATOR: TEXACO

FIELD: Aneth LEASE: _____

WELL # F-416 SEC. 16 TOWNSHIP 40S RANGE 24E

(STATE) FED. FEE DEPTH 5617 TYPE WELL INTW MAX. INJ. PRESS. 2500

TEST DATE 3/24/87

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>13³/₈</u>	<u>85</u>		<u>0</u>	<u>Slight blow w/</u>	
<u>INTERMEDIATE</u>	<u>8⁵/₈</u>	<u>1453</u>			<u>Slight gurgle</u>	
<u>PRODUCTION</u>	<u>5¹/₂</u>	<u>5615</u>		<u>0#</u>		
<u>TUBING</u>	<u>2³/₈</u>	<u>5334</u>		<u>2260#</u>	<u>65 BBLs/DAY</u>	

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 98

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
N0980	TEXACO INC	365	GREATER ANETH	S400	E230	14	NENW	4303716032	DSCR	WIW	99990	ARROWHEAD #6 (ANETH B-114
				S400	E240	15	NWNE	4303716088	PRDX	WIW	99990	NAVAJO TRIBAL E-9 (ANETH
				S400	E240	15	NESW	4303716296	IS-DC	WIW	99990	NAVAJO TRIBAL E-8 (ANETH
				S400	E240	16	NESW	4303716297	IS-DC	WIW	99990	STATE THREE 23-16 (ANETH
				S400	E240	16	NWNW	4303715832	IS-DC	WIW	99990	STATE THREE 11-16 (ANETH
				S400	E240	16	SESW	4303730333	DSCR	WIW	99990	ANETH F-416
				S400	E240	16	SESE	4303720230	IS-DC	WIW	99990	ANETH H-416
				S400	E240	16	SENE	4303716312	IS-DC	WIW	99990	STATE THREE 42-16 (ANETH
				S400	E240	16	NWSE	4303730107	DSCR	WIW	99990	ANETH G-316
				S400	E240	16	NWNE	4303730344	DSCR	WIW	99990	ANETH G-116
				S400	E240	16	NENW	4303716285	PRDX	WIW	99990	STATE THREE 21-16 (ANETH
				S400	E240	16	NWSW	4303730094	DSCR	WIW	99990	ANETH E-316
				S400	E240	17	SENE	4303716286	PRDX	WIW	99990	NAVAJO TRIBAL G-8 (ANETH
				S400	E240	17	SESE	4303716326	PRDX	WIW	99990	NAVAJO TRIBAL L-1 (ANETH
				S400	E240	17	SENE	4303716313	PRDX	WIW	99990	NAVAJO TRIBAL L-4 (ANETH
				S400	E240	17	NWSE	4303716103	PRDX	WIW	99990	NAVAJO TRIBAL 1-X-G (ANETH
				S400	E240	17	NWNE	4303716089	PRDX	WIW	99990	NAVAJO TRIBAL G-3 (ANETH
				S400	E240	17	SESW	4303716299	PRDX	WIW	99990	NAVAJO TRIBAL G-6 (ANETH
				S400	E240	18	SENE	4303716120	PRDX	WIW	99990	NAVAJO TRIBAL G-5 (ANETH
				S400	E240	18	SESE	4303716327	PRDX	WIW	99990	NAVAJO TRIBAL G-2 (ANETH
				S400	E240	18	SENE	4303716287	PRDX	WIW	99990	NAVAJO FEDERAL UNIT #1 (A
				S400	E240	18	NWSW	4303716063	PRDX	WIW	99990	NAVAJO TRIBAL FED. #4 (AN
				S400	E240	18	NWSE	4303716104	PRDX	WIW	99990	NAVAJO TRIBE G-4 (ANETH G
				S400	E240	18	NWNE	4303716090	PRDX	WIW	99990	NAVAJO TRIBE FED #2 (ANETH
				S400	E240	18	SESW	4303715083	PRDX	WIW	99990	NAVAJO TRIBAL FED. UNIT #
				S400	E240	18	NWNW	4303715413	PRDX	WIW	99990	ANETH UNIT E-118 (W. ISMY
				S400	E240	19	NWNW	4303716280	PRDX	WIW	99990	NAVAJO FED. UNIT B-1 (ANE
				S400	E240	19	SESE	4303716328	PRDX	WIW	99990	NAVAJO TRIBE D-27 (ANETH
				S400	E240	19	SENE	4303716121	PRDX	WIW	99990	NAVAJO TRIBE D-3 (ANETH H
				S400	E240	19	NWSE	4303716309	PRDX	WIW	99990	NAVAJO TRIBE D-25 (ANETH
				S400	E240	19	NWNE	4303716091	PRDX	WIW	99990	NAVAJO TRIBE D-16 (ANETH
				S400	E240	19	SENE	4303716077	PRDX	WIW	99990	NAVAJO TRIBE D-26 (ANETH
				S400	E240	19	NWSW	4303716064	PRDX	WIW	99990	NAVAJO TRIBE D-28 (ANETH
				S400	E240	20	NWNW	4303716050	PRDX	WIW	99990	NAVAJO TRIBE D-10 (ANETH
				S400	E240	20	NWSW	4303716065	PRDX	WIW	99990	NAVAJO TRIBE D-17 (ANETH
				S400	E240	20	SESE	4303716329	PRDX	WIW	99990	NAVAJO TRIBE D-13 (ANETH
				S400	E240	20	SENE	4303716314	PRDX	WIW	99990	NAVAJO TRIBE L-2 (ANETH H
				S400	E240	20	NWSE	4303716105	PRDX	WIW	99990	NAVAJO TRIBE D-12 (ANETH
				S400	E240	20	NWNE	4303716092	PRDX	WIW	99990	NAVAJO TRIBE L-5 (ANETH G
				S400	E240	20	SESW	4303716300	PRDX	WIW	99990	NAVAJO TRIBE D-20 (ANETH
				S400	E240	20	SENE	4303716288	PRDX	WIW	99990	NAVAJO TRIBE D-8 (ANETH F
				S400	E240	21	NWNE	4303730335	DSCR	WIW	99990	ANETH G-121X
				S400	E240	21	SESW	4303716084	PRDX	WIW	99990	NAVAJO TRIBE D-21 (ANETH
				S400	E240	21	SENE	4303716078	PRDX	WIW	99990	NAVAJO TRIBE D-6 (ANETH F
				S400	E240	21	NWSW	4303716066	PRDX	WIW	99990	NAVAJO TRIBE D-14 (ANETH
				S400	E240	21	NWNW	4303716051	PRDX	WIW	99990	NAVAJO TRIBE D-4 (ANETH E
				S400	E240	21	NWSE	4303730095	PRDX	WIW	99990	ANETH G-321X

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

RECEIVED

MAY 28 1991

Well name and number: _____		See Attached Listing	DIVISION OF OIL GAS & MINING
Field or Unit name: _____		API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____			
Effective Date of Transfer: <u>6-1-91</u>			
CURRENT OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date	_____	Phone	<u>(915) 688-4100</u>
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
NEW OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Exploration and Production Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date	_____	Phone	<u>(915) 688-4100</u>
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
(State use only)			
Transfer approved by <u><i>Neil Hunt</i></u>		Title <u><i>UIC Manager</i></u>	
Approval Date <u><i>6-26-91</i></u>			



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OF, ST, OR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED
MAY 23 1991
DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed: [Signature]

Attorney-In-Fact
for Texaco Inc.

Date: 3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed: [Signature]

Title: Division Manager

Date: 3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature]

TITLE Division Manager

DATE 3/1/91

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CERTIFICATE OF APPROVAL IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)		6. Lease Designation and Serial Number
2. Name of Operator Texaco Exploration and Production Inc.		7. Indian Allottee or Tribe Name
3. Address of Operator 3300 North Butler, Farmington, NM 87401		8. Unit or Communitization Agreement
4. Telephone Number (505) 325-4397		9. Well Name and Number
5. Location of Well Footage : QQ, Sec, T., R., M. : See Attached		10. API Well Number
County : State : UTAH		11. Field and Pool, or Wildcat

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																											
<p style="text-align: center;">NOTICE OF INTENT (Submit in Duplicate)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td colspan="2"><input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>		<p style="text-align: center;">SUBSEQUENT REPORT (Submit Original Form Only)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td colspan="2"><input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u></td> </tr> </table> <p>Date of Work Completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. L. Lane*
Attorney-in-Fact

SIGNED: *R. L. Lane*
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- LCR/GIL	✓
2- DTS-DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

☐ Change of Operator (well sold)

☐ Designation of Agent

☐ Designation of Operator

☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator) TEXACO E & P INC.

FROM (former operator) TEXACO INC.

(address) 3300 NORTH BUTLER

(address) 3300 NORTH BUTLER

FARMINGTON, NM 87401

FARMINGTON, NM 87401

BRENT HELQUIST

FRANK

phone (505) 325-4397

phone (505) 325-4397

account no. N 5700 (6-5-91)

account no. N 0980

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

TY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

D VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date 6-27-91 1991. If yes, division response was made by letter dated 6-27-91 1991. #m157448 80,000-Ins. Co. of N. America

SE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 6-27-91 1991, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

ING

1. All attachments to this form have been microfilmed. Date: July 15 1991.

ING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

MENTS

- 110606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 110607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Anuth Unit and Ismay Flodine Unit.
- 110607 St. Lands approved 4-15-91 "merger".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☐ OIL WELL ☐ GAS WELL ☒ OTHER INJECTION WELL

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter N : 1000 Feet From The SOUTH Line and 1980 Feet From The
WEST Line Section 16 Township T40S Range R24E

5. Lease Designation and Serial No.

ML-3156

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT

F416

9. API Well No.
4303730333

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN, UTAH

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Attering Casing
	<input checked="" type="checkbox"/> OTHER: CLEAN OUT & ACIDIZE
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY *****

TEXACO E&P INC. HAS CLEANED OUT AND ACIDIZED THE SUBJECT WELL

1-17-96 MIRU, RIH W/ COIL TBG, TAGGED FILL @ 5498', CLEANED OUT TO 5554', PUMP ACID, POOH, RDMO, PLACED WELL ON INJECTION



14. I hereby certify that the foregoing is true and correct.

SIGNATURE

[Signature]

TITLE Senior Engineer

[Signature]

DATE

12/5/97

TYPE OR PRINT NAME

Rached Hindi

ALLEN DAVIS

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WO tax credit 6/98



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Don R. Sellars", written in a cursive style.

Don R. Sellars

Sr. Environmental Specialist


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery QQ, Section, Township, Range: State : UTAH		Field or Unit Name See Attached Well List Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002


CURRENT OPERATOR

Company: Texaco Exploration and Production Inc
Address: 3300 North Butler, Suite 100
city Farmington state NM zip 87401
Phone: (505) 325-4397
Comments:


Name: Allen S. Robinson
Signature: 
Title: Attorney-In-Fact
Date: April 30, 2002

NEW OPERATOR

Company: Chevron U.S.A. Inc.
Address: P.O. Box 36366
city Houston state TX zip 79702
Phone: (915) 687-2000
Comments:

Name: J. Scott Purdy
Signature: 
Title: Attorney-In-Fact
Date: May 1, 2002

(This space for State use only)

Transfer approved by: 
Title: Tech Services Manager

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER Operator Name Change

2. NAME OF OPERATOR:

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR:

P.O. Box 36366

CITY Houston

STATE TX

ZIP 77236

PHONE NUMBER:

(281) 561-3443

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attached List of Wells

COUNTY: Emery

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:

See Attached List of Wells

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

BLM & State of Utah

7. UNIT or CA AGREEMENT NAME:

Orangeville & Huntington

8. WELL NAME and NUMBER:

See Attached List of Wells

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION



NOTICE OF INTENT
(Submit in Duplicate)

Approximate date work will start:



SUBSEQUENT REPORT
(Submit Original Form Only)

Date of work completion:



ACIDIZE



ALTER CASING



CASING REPAIR



CHANGE TO PREVIOUS PLANS



CHANGE TUBING



CHANGE WELL NAME



CHANGE WELL STATUS



COMMINGLE PRODUCING FORMATIONS



CONVERT WELL TYPE



DEEPEN



FRACTURE TREAT



NEW CONSTRUCTION



OPERATOR CHANGE



PLUG AND ABANDON



PLUG BACK



PRODUCTION (START/RESUME)



RECLAMATION OF WELL SITE



RECOMPLETE - DIFFERENT FORMATION



REPERFORATE CURRENT FORMATION



SIDETRACK TO REPAIR WELL



TEMPORARILY ABANDON



TUBING REPAIR



VENT OR FLARE



WATER DISPOSAL



WATER SHUT-OFF



OTHER: Operator Name
Change (Merger)

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1

Texaco Exploration & Production Inc.

J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE

DATE April 30, 2002

This space for State use only)

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT**TAYLOR MCKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

1. GLH
2. CDW
3. FILE

Designation of Agent

X Merger

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. Unit: ANETH

WELL(S)

[illegible]

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143

5. If **NO**, the operator was contacted contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/23/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/23/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 6049663

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☒ GAS WELL ☐ OTHER Injection wells

2. NAME OF OPERATOR:
Resolute Natural Resources Company

3. ADDRESS OF OPERATOR:
1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202

PHONE NUMBER:
(303) 534-4600

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attachment

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT)

Jane Pasque

TITLE

Vice President

SIGNATURE

Jane Pasque

DATE

11/30/04

(This space for State use only)

APPROVED 12/29/2004

ER

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER See attached exhibit.

2. NAME OF OPERATOR:
Resolute Natural Resources Company

3. ADDRESS OF OPERATOR:
1675 Broadway, Suite 1950 CITY Denver STATE CO ZIP 80202

PHONE NUMBER:
(303) 534-4600

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached exhibit.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Navajo

7. UNIT or CA AGREEMENT NAME:
Aneth Unit

8. WELL NAME and NUMBER:
See attached exhibit.

9. API NUMBER:
See attached exhibit.

10. FIELD AND POOL, OR WILDCAT:
Aneth

COUNTY: San Juan

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Chevron U.S.A. Inc. N0210

TITLE A. E. Wacker, Attorney-in-Fact

SIGNATURE A. E. Wacker

DATE 12/20/2004

(This space for State use only)

APPROVED 12/29/2004

ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached exhibit.		API Number See attached exhibit.
Location of Well		Field or Unit Name Aneth Unit
Footage : <u> </u>	County : <u>San Juan</u>	Lease Designation and Number See attached exhibit.
QQ, Section, Township, Range: <u> </u>	State : <u>UTAH</u>	

EFFECTIVE DATE OF TRANSFER: 12/1/2004

CURRENT OPERATOR

N0210

Company: Chevron U.S.A. Inc.
Address: 1111 Bagby St.
city Houston state TX zip 77002
Phone: (713) 752-6000
Comments:

Name: A. E. Wacker
Signature: A. E. Wacker
Title: Attorney-in-Fact
Date: 12/20/2004

RECEIVED

DEC 22 2004

NEW OPERATOR

N2700

DIV. OF OIL, GAS & MINING

Company: Resolute Natural Resources Company
Address: 1675 Broadway, Suite 1950
city Denver state CO zip 80202
Phone: (303) 534-4600 xt
Comments:

Name: Janet Pogue xt
Signature: Janet Pogue
Title: Vice President
Date: 12/21/04

(This space for State use only)

Transfer approved by: David J. Smith
Title: VIC Geologist

Approval Date: 12-29-04

Comments: Transfer of Authority to Inject into the Aneth C2114 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004. Operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980' FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A				Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active				State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active				State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312		B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active				State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A				State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A				State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A				State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active				State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212		D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active				State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119		E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207		E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A				Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116		F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217		F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218		F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220		F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224		F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226		F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229		F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235		F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236		F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A				Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315		F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316		F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408		F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417		F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420		F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425		F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A				Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A				Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A				Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123		G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127		G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319		G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216		H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217		H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220		H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226		H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227		H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229		H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234		H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235		H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407		H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408		H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417		H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

12/1/2004

FROM: (Old Operator):

N0210-Chevron USA, Inc.

PO Box 4791

Houston, TX 77210-4791

Phone: 1-(713) 752-7431

TO: (New Operator):

N2700-Resolute Natural Resources Company

1675 Broadway, Suite 1950

Denver, CO 80202

Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH UNIT H314X	14	400S	240E	4303731381	7000	Indian	WI	I
ANETH E-315	15	400S	240E	4303730213	99990	Indian	WI	A
ANETH H-315	15	400S	240E	4303730312	7000	Indian	WI	A
STATE THREE 21-16 (ANETH F-116)	16	400S	240E	4303716285	99990	State	WI	A
STATE THREE 23-16 (ANETH F-316)	16	400S	240E	4303716297	99990	State	WI	A
STATE THREE 42-16 (ANETH H-216)	16	400S	240E	4303716312	99990	State	WI	A
ANETH H-416	16	400S	240E	4303720230	99990	State	WI	A
ANETH E-316	16	400S	240E	4303730094	99990	State	WI	A
ANETH G-316	16	400S	240E	4303730107	99990	State	WI	A
ANETH F-416	16	400S	240E	4303730333	99990	State	WI	A
ANETH G-116	16	400S	240E	4303730344	99990	State	WI	A
ANETH G-321X	21	400S	240E	4303730095	99990	Indian	WI	A
ANETH G-121X	21	400S	240E	4303730335	99990	Indian	WI	A
ANETH G-322X	22	400S	240E	4303720231	99990	Indian	WI	A
ANETH E-122	22	400S	240E	4303730215	99990	Indian	WI	A
ANETH H-222	22	400S	240E	4303730242	99990	Indian	WI	A
ANETH F-222	22	400S	240E	4303730373	99990	Indian	WI	A
ANETH G-122	22	400S	240E	4303730425	99990	Indian	WI	A
ANETH F-123	23	400S	240E	4303730235	99990	Indian	WI	A
ANETH G-126X	26	400S	240E	4303730372	99990	Indian	WI	A
ANETH 27-A-1 (ANETH E-127)	27	400S	240E	4303716782	99990	Indian	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/20044. Is the new operator registered in the State of Utah: YES Business Number: 5733505-01435. If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 12/29/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B001262
2. The FORMER operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

43-037-30333

action BSpencer 5/5/99

A Baker

P.O. Box 1060
Gallup, New Mexico 87305-1060

ARES/543

MAY 06 1999

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

**Chieftain International (US) Inc.
1201 Toronto Dominion Tower
Edmonton Alberta, CANADA T5J 2Z1**

Aneth F-416
40S 24E 16

Dear Lessee of Records:

This is to inform you that a land exchange between the State of Utah and the United States on behalf of the Navajo Tribe of Indians was recently consummated. This exchange was authorized by the Utah School and Land Exchange Act of 1998, Pub. L. 105-335, 112 Stat. 3139.

By letter dated March 8, 1999, the State of Utah, School and Institutional Trust Lands Administration office, informed your company that all future communications and payments due under the lease after January 8, 1999 should be directed to our office.

The State has furnished copies of your mineral lease(s) to us. For administrative purposes, we have assigned a BIA lease number, as follows:

	<u>ML LEASE NO.</u>	<u>NEW BIA LEASE NO.</u>
1.	3156	N0-G-9904-1323

Please reference the BIA lease number on all future correspondence and payments.

These following instructions and procedures become effective as of the date of your receipt of this letter and must be utilized by your company.

1. **Lease record:** In order to create a new lease record, we will require that you submit the following documents:
 - A. Certified copy of the Articles of Incorporation
 - B. License to do business in the State of Utah
 - C. Latest financial statement for the corporation.
 - D. List of names, addresses and telephone number of the corporate officers, principal stockholders and directors.

2
2154

2. **Payment of rental and royalties:** The Navajo Nation (Tribe) has a lockbox agreement with Norwest Bank in Phoenix, Arizona, which serves as a depository for the Tribe's producing oil and gas lease revenues.

You no longer should send checks to the Minerals Management Services (MMS) for the State mineral leases. Navajo Tribal oil and gas rent and royalty payments on producing leases must be sent to the lockbox. Payment should be made by electronic funds transfer (EFT) to the following address:

The Navajo Nation
P. O. Box 52543
Phoenix, Arizona 85072

Please use American Bankers Association No. (Routing No.) 091000019 and Account No. 6008301569 when paying via EFT. Your EFT transmission, as well as any checks you submit, must also include your MMS Payor Code and Pay-assigned document number (3a number).

3. **Reports:** You should submit the Report of Sales and Royalty Remittance (Form MMS-2014), to MMS, referencing recording payment Method 07. The Navajo Nation requests that you also submit a copy of Form MMS-2014 to the Navajo Nation Minerals Department, P.O. Box 1910, Window Rock, Arizona 86515, in order to verify payments made to their lockbox.
4. **Bond:** Pursuant to 25 CFR 211.24, "... a surety bond is required in an amount sufficient to ensure compliance with all of the terms and condition of the lease(s), permit(s)" (copy enclosed). Acceptable bond amounts are (1) Collective Bond - \$75,000 (2) Nationwide Bond - \$150,000.

We request that you submit a report showing the location and number of wells or other improvement for each lease. Please note the Secretary has the discretion to increase the bond amount based on the number of wells.

Please submit to our office a replacement bond for your lease(s). The State of Utah bond for your leases will not be terminated until a replacement bond is submitted to our office.

5. **Assignments of leases:** We also enclose a copy of our procedure on filing for Tribal Assignment and standard forms for your use and information. Please have your staff review these procedure before submitting new assignments.

We look forward to working with your company as a new Navajo lessee. If you have any questions, please contact Ms. Bertha Spencer, Realty Specialist, Minerals and Mining Section at (520) 871-5938.

Sincerely

GENNII DENETSONE

ACTING
Area Director

Enclosures

cc: BLM, Farmington Field Office, 1235 La Plata Highway, Suite A, Farmington, NM 87401
BLM, Attn: Gary Torres, 435 North Main, P.O. Box 7, Monticello, Utah 84535
Navajo Nation Minerals Department, Attn: A. Zaman, POB 1910,
Window Rock, AZ 86515
State of Utah, School and Institutional Trust Lands Administration, 675 East 500 South,
Suite 500, Salt Lake City, Utah 84102-2818
MMS, Attn: Cherry Millard, Royalty Management Program
POB 25165, Denver, Colorado 80225-0165
Linda Taylor, Shiprock Real Estate Services, POB 966, Shiprock, NM 87420

bcc: 4618a-P5
46102-T1
100

543:BSpencer:lg:05/04/99
C:MyFiles.ML3156